



FOCUS ON YOUR MISSION









THE BEST OF TWO WORLDS-



The PNC560 gives you the best of two worlds—a professional PTT over cellular radio and a hardened smartphone built for productivity. As an instant communication device, it offers you mission-critical push-to-talk (MCPTT) over 5G networks with super-fast speed and low latency, assisting in smooth team communication & collaboration with a simple key press. Performing as a productivity-boosting tool, through industry-leading design & specification, it ensures reliable and efficient operations for application in various fields, it's your most productive partner for mission accomplishment.

DESIGNED FOR MISSION-CRITICAL SERVICE

BEST TO DATE MC TERMINAL FROM HYTERA

3GPP MCX SERVICES

- Dedicated 3GPP MCX service QCIs
- 40ms short MSP for eMBMS service
- Compliant with latest 3GPP MCX features by HyTalk MC platform
- Open API for 3rd-party MCX APP adaption

Guaranteed User Experience

- Dedicated PTT & alarm buttons can be triggered in one press
- Hytera Al-based noise cancellation technology makes voice transmission crystal clear
- Dual 3W ultra linear speakers bring louder sound effect
- 5G + 3 high-resolution cameras ensure high definition video and high speed streaming
- Detachable high capacity battery and optional charger cater to user preferences

Rugged & Robust

- IP68 dust & water proof
- 1.5m drop resistant







ALL ABOUT PRODUCTIVITY AND EFFICIENCY

ANDROID 12 ECOSYSTEM

 Latest Android OS brings more security, efficiency and enhanced productivity

6.3-INCH FHD+ FULL-SCREEN

- More information to display, more operations to perform, and more orders to command
- Outdoor operation friendly, support glove / wethand operation, clear view under strong light



POWERFUL SPECIFICATION

- QualComm 8-core platform, smooth & stable multitasking operations under complex business scenarios.
- BT 5.0 / NFC / Dual-band WiFi / Dual-band GNSS / IR sensor, seamless integration with field facilities

3 HIGH-RESOLUTION CAMERAS

- Separate telephoto lens and wide-angle lens, covering different field scenarios
- Low-light photography and HDR (High Dynamic Range) for clearer image at night or strong light-contrast environment
- Innovative lens stabilization algorithm reduces blurring associated with camera motion





Barcode/QR code Scanner*

- Optional Barcode / QR code scanner available on special models
- APP + Scanning all in one, significant efficiency improving



EXTREAM SECURE, INSIDE AND OUT



The PNC560 is an ultra-secure device designed for professionals who need the utmost data security protection. It employs a multi-layer security mechanism integrated in both hardware and software design to provide comprehensive & adequate data protection on the device.

SW TAMPER-PROOF

Secure boot and Android FBE (File-Based Encryption), no unauthorized system access or modification, safe from virus/hacker attack

SAFEBOX


Provide a secure space for your videos, pictures, or other files; authentication required on every access

HW TAMPER-PROOF

Smart detection on unauthorized hardware disassembling, automatic system restore & user data cleaning once detected, prevents implantation of malicious hardware like tracker or tapping device, providing utmost system and data protection

SMART MDM, DEDICATED FOR YOUR ORGANIZATIONS

Hytera MDM platform provides: device remote monitor and management, security policy remote deployment, device function control and status monitoring, APP management and firmware upgrade, device remote kill or revive, data remote erasing on demand, etc, tailoring the most secured asset & data management for your organization





SPECIFICATIONS ACCESSORIES

Frequency Band	F.C. N.4 (N.) (N.) (N.) (N.) (N.) (N.) (N.) (N.)	
Broadband Network	5G: N1/N2/N3/N5/N20/N28/N41/N66/N71/N78	Hydre d'
	LTE-FDD: B1/B2/B3/B4/B5/B7/B8/B12/B13/B17/B20/B26/B28 LTE-TDD: B38/B39/B40/B41/B42/B43/B48	
	GSM: 850/900/1800/1900	
	WCDMA: B1/B2/B4/B5/B8	A C A SECRETARY OF THE A SEC
Hardware		Li-ion Polymer
Operating System	Android 12	Battery
M	RAM: 4 GB, ROM: 64 GB/RAM: 6 GB, ROM: 128 GB	Date.,
Memory	Micro SD: 256 GB (Max)	
Dimensions (H x W x D)	166.6 x 77.1 x 13mm	
Weight	About 270 g	
Screen Size	6.3 inches	
Screen Resolution	2340x1080	
Cameras	Front: 8 MP, Rear: 48 MP*and 8 MP	
Flashlight	Available	Tempered Glass
Battery	5,040 mAh	
Charging	USB Type C; Charger	
Card Slot	2 x Nano SIM, 1 x Micro SD	
Motor	Available	
Speaker	3W dual speakers	
WLAN	2.4&5 GHz 802.11a/b/g/n/ac	
Sensor	Fingerprint, acceleration, gyroscope, geomagnetic, infrared sensor, opto-sensor	1
Positioning	GPS/BDS/GLONASS/GALILEO/A-GPS	Charger
BT	BT 5.0	
NFC	Available	
Multimedia		
Video Resolution	1080p@30fps	A .
Video File Format	Mp4, 3GP	
Video Coding Format	PO, H.264, BP/MP/HP, SP/ASP, DivX 4x/5x/6x, VP9, MP	
Photo File Format	JPG, GIF, BMP, PNG, WebP	3 Ŧ.
Audio File Format	MP3	ĬI₩
Audio Coding Format	ACC+, eAAC, AMR-NB, AMR-WB, G.711, Windows Media Audio,	 Wired Earpiece
Environment	(WMA) 9/10 Pro	• Which Ediplece
Operating Temperature	-20°C to +60°C	
Storage Temperature	-30°C to +70°C	
Environmental Compliance	RoHS/REACH	
ESD	IEC 61000-4-2, (ESD)±12 kV (Air); ±8 kV (Contact)	
Ingress Protection	IP68	
Drop-proof	1.5m	
Certification		BT Earpiece
Certification	FCC/CE/IC/	D. Larpiece
Certification	GMS	

APPLICATION SCENARIOS



Public safety



Utility



Airports



Healthcare



Industrial parks



Railway

Data Cable

Power Adapter

• Wireless Remote Speaker Microphone

• Wireless Ring PTT

StandardOptional

Distributore Autorizzato per l'Italia:



Advantec Srl

Via Caduti per la Libertà, 13 10060 Pinasca TO - Italy Tel. +39 0121326770 info@advantec.it - www.advantec.it



Hytera Communications Europe

939 Yeovil Road, Slough, Berkshire, SL1 4NH

info@hytera-europe.com | www.hytera-europe.com

Hytera reserves the right to modify the product design and the specifications. In case of a printing error, Hytera does not accept any liability. All specifications are subject to change without notice.